



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

PO9031



ADULT AMBULATORY INFUSION ORDER  
**Blood Transfusion Orders**

Page 1 of 4

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

Patient Identification

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE**

Weight: \_\_\_\_\_ kg      Height: \_\_\_\_\_ cm

Allergies: \_\_\_\_\_

Diagnosis Code: \_\_\_\_\_

Treatment Start Date: \_\_\_\_\_ Patient to follow up with provider on date: \_\_\_\_\_

**\*\*This plan will expire after 365 days at which time a new order will need to be placed\*\***

**GUIDELINES FOR ORDERING**

1. Send **FACE SHEET and H&P or most recent chart note**.
2. For Adventist patients: PARQ: Required \_\_\_\_\_ (initials): "I have discussed the risks versus benefits of blood products designated below, as well as the risks and alternatives, with the patient/surrogate; they understand and agree to transfusion therapy"
3. The Transfusion Blood Consent form must be completed annually.
4. To order blood transfusion products both an INFUSION PLAN and an ORDER PANEL must be ordered:
  - a. INFUSION PLAN: "Blood Transfusion": includes pre-medications and treatment parameters
  - b. ORDER PANEL: "CHO Blood Transfusion Orders": blood products and orders to transfuse
5. All patients automatically receive pre-storage leukodepleted, CMV safe red cell and platelet products. If irradiated is needed, please order under special needs section below.

**LABS:**

- CBC with differential, Routine, ONCE, every \_\_\_\_\_ (visit)(days)(weeks)(months) – Circle One
- Platelet count, whole blood, Routine, AS NEEDED, 1 hour post-platelet count if on Platelet Refractory Protocol
- Platelet count, whole blood, Routine, ONCE
- Type & Screen, Routine, ONCE
- Labs already drawn. Date: \_\_\_\_\_

**NURSING ORDERS:**

1. VITAL SIGNS – Routine vital signs
2. TREATMENT PARAMETERS – (**Attention Providers, please assign appropriate parameters**)
  - a. Blood Transfusion:
    - i. For Hemoglobin less than or equal to \_\_\_\_\_ g/dL, transfuse \_\_\_\_\_ units of packed red blood cells over \_\_\_\_\_ hours each
    - OR**
    - ii. For Hematocrit less than or equal to \_\_\_\_\_ %, transfuse \_\_\_\_\_ units of packed red blood cells over \_\_\_\_\_ hours each.
  - b. Platelet Transfusion: For Platelet count less than or equal to \_\_\_\_\_, transfuse \_\_\_\_\_ units pheresis platelet product.
3. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER  
**Blood Transfusion Orders**

Page 2 of 4

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE**

**PRE-MEDICATIONS:** (Administer 30 minutes prior to infusion)

**Note to provider: Please select which medications below, if any, you would like the patient to receive prior to treatment by checking the appropriate box(s)**

- acetaminophen (TYLENOL) tablet, 650 mg, oral, ONCE, every visit
- diphenhydramine (BENADRYL) capsule, 50 mg, oral, ONCE, every visit.  
**Give either loratadine or diphenhydramine, not both.**
- loratadine (CLARITIN) 10 mg tablet, oral, ONCE AS NEEDED if diphenhydramine is not given, every visit. Give either loratadine or diphenhydramine, not both.  
**Give either loratadine or diphenhydramine, not both.**

**BLOOD PRODUCT(S): (Ordered using ORDER PANEL):**

• **Packed Red Blood Cells (See below for special needs)**

- Amount
  - \_\_\_\_\_ units
  - \_\_\_\_\_ mL
- Duration
  - \_\_\_\_\_ hours/unit
  - \_\_\_\_\_ mL/hour
- Interval
  - ONCE (appointment date: \_\_\_\_\_)
  - Every \_\_\_\_\_ days for \_\_\_\_\_ treatments. Begin on date: \_\_\_\_\_
- Patient consented for transfusion, and documentation in med record?
  - Yes (fax consent to applicable infusion clinic)
  - No

• **Pheresis Platelets (See below for special needs)**

- Matched
  - HLA Matched
  - Crossmatched
- Amount
  - \_\_\_\_\_ units
  - \_\_\_\_\_ mL
- Duration \_\_\_\_\_ hours
- Interval
  - ONCE (appointment date: \_\_\_\_\_)
  - Every \_\_\_\_\_ days for \_\_\_\_\_ treatments. Begin on date: \_\_\_\_\_
- Patient consented for transfusion, and documentation in med record?
  - Yes (fax consent to applicable infusion clinic)
  - No



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER  
**Blood Transfusion Orders**

Page 3 of 4

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE**

• **Frozen Plasma (See below for special needs)**

- Amount
  - \_\_\_\_\_ units
  - \_\_\_\_\_ mL
- Duration \_\_\_\_\_ hours
- Interval
  - ONCE (appointment date: \_\_\_\_\_)
  - Every \_\_\_\_\_ days for \_\_\_\_\_ treatments. Begin on date: \_\_\_\_\_
- Patient consented for transfusion, and documentation in med record?
  - Yes (fax consent to applicable infusion clinic)
  - No

• **Cryoprecipitate Pool (See below for special needs)**

- Amount \_\_\_\_\_ pools (NOTE: 1 pool = 5 units. Usual adult dose = 2 pools)
- Duration \_\_\_\_\_ hours
- Interval
  - ONCE (appointment date: \_\_\_\_\_)
  - Every \_\_\_\_\_ days for \_\_\_\_\_ treatments. Begin on date: \_\_\_\_\_
- Patient consented for transfusion, and documentation in med record?
  - Yes (fax consent to applicable infusion clinic)
  - No

• **Special Needs**

- CMV REDUCED RISK (may use Leukoreduced or CMV seronegative)
- CMV SERONEGATIVE
- DIRECTED DONOR
- IRRADIATED
- LEUKOREDUCED
- WASHED
- PHENOTYPE MATCHED (rarely indicated)
- OTHER \_\_\_\_\_

**ROUTINE MEDICATIONS:**

- furosemide (LASIX) \_\_\_\_\_ mg IV, ONCE (after the first unit of blood product)



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER  
**Blood Transfusion Orders**

Page 4 of 4

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE**

**By signing below, I represent the following:**

I am responsible for the care of the patient (*who is identified at the top of this form*);

I hold an active, unrestricted license to practice medicine in:  Oregon  \_\_\_\_\_ (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

**My physician license Number is # \_\_\_\_\_ (MUST BE COMPLETED TO BE A VALID PRESCRIPTION);** and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

**Provider signature:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Printed Name:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_

**Please check the appropriate box for the patient's preferred clinic location:**

**Hillsboro Medical Center**  
Infusion Services  
364 SE 8th Ave, Medical Plaza Suite 108B  
Hillsboro, OR 97123  
Phone number: (503) 681-4124  
Fax number: (503) 681-4120

**Adventist Health Portland**  
Infusion Services  
10123 SE Market St  
Portland, OR 97216  
Phone number: (503) 261-6631  
Fax number: (503) 261-6756

**Mid-Columbia Medical Center**  
Celilo Cancer Center  
1800 E 19th St  
The Dalles, OR 97058  
Phone number: (541) 296-7585  
Fax number: (541) 296-7610