Oregon Health & Science University Hospital and Clinics Provider's Orders OHSU Health Image: Comparison of the second	ACCOUNT NO. MED. REC. NO. NAME BIRTHDATE				
Page 1 of 3	Patient Identification				
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.					
Weight:kg Height: Allergies:	cm				
Diagnosis Code:					

Treatment Start Date: _____ Patient to follow up with provider on date: ______ **This plan will expire after 365 days at which time a new order will need to be placed**

GUIDELINES FOR ORDERING

1. Send FACE SHEET and H&P or most recent chart note.

LABS:

- CBC with differential, Routine, ONCE, every (visit)(days)(weeks)(months) Circle One
- CMP, Routine, ONCE, every (visit)(days)(weeks)(months) Circle One

Labs already drawn. Date: _____

NURSING ORDERS:

1. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes.

MEDICATIONS:

Penicillins:

ampicillin

- 1000 mg in sodium chloride 0.9%, 50 mL, intravenous, ONCE over 15-20 minutes
- □ 2000 mg in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 15-20 minutes

nafcillin

- 1 gram in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30-60 minutes
- □ 2 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30-60 minutes
- □ 12 grams over one day in sodium chloride 0.9%, 100.8 mL, intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)

oxacillin

- 1 gram in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30-60 minutes
- □ 2 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30-60 minutes
- □ 12 grams over one day in sodium chloride 0.9%,100.8 mL, intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)

	Oregon Health & Science University Hospital and Clinics Provider's Orders	ACCOUNT NO.		
OHSU Health	ADULT AMBULATORY INFUSION ORDER Antibiotic The rapy (Penicillins and Carbapenems)	MED. REC. NO. NAME BIRTHDATE		
	Page 2 of 3	Patient Identification		
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (\checkmark) TO BE ACTIVE.				

penicillin G potassium (PFIZERPEN) intravenous

- 1 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- □ 2 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- □ 2.5 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- □ 3 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- 4 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- 5 million units in sodium chloride 0.9%, 100 mL, ONCE over 1-2 hours
- □ 20 million over 1 day in sodium chloride 0.9%, 100.8 mL, ONCE over 24 hours, **continuous infusion via CADD** (OHSU only)

penicillin G benzathine (BICILLIN L-A) intramuscular

- □ 600,000 units as a single dose
- □ 1.2 million units as a single dose
- \Box 2.4 million units as a single dose

piperacillin/tazobactam (ZOSYN)

- □ 2.25 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30 minutes
- □ 3.375 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30 minutes
- 4.5 grams in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30 minutes
- □ 10.125 grams over one day in sodium chloride 0.9%, 112.8 mL intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)
- □ 13.5 grams over one day in sodium chloride 0.9%, 151.2 mL intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)
- □ 18 grams over one day in sodium chloride 0.9%, 201.6 mL intravenous, ONCE over 24 hours, continuous infusion via CADD (OHSU only)

Interval: (must check one)

□ Daily x _____ doses

Carbapenems:

ertapenem (IVANZ)

1 gram in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 30 minutes

meropenem (MERREM)

- 500 mg in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 15-30 minutes
- □ 1 gram in sodium chloride 0.9%, 100 mL, intravenous, ONCE over 15-30 minutes

Interval: (must check one)

- Daily x doses

FOR InfuSystem[™] AMBULATORY PUMP USE (OHSU only; hook up at infusion location):

Duration:

□ _____ days

	Oregon Health & Science University Hospital and Clinics Provider's Orders	ACCOUNT NO.		
OHSU	ADULT AMBULATORY INFUSION ORDER Antibiotic The rapy	MED. REC. NO.		
Health	(Penicillins and Carbapenems)	NAME		
(renomins and carbapenens)		BIRTHDATE		
	Page 3 of 3	Patient Identification		
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (\checkmark) to be active.				

HYPERSENSITIVITY MEDICATIONS:

- 1. NURSING COMMUNICATION If hypersensitivity or infusion reactions develop, temporarily hold the infusion and notify provider immediately. Administer emergency medications per the Treatment Algorithm for Acute Infusion Reaction (OHSU HC-PAT-133-GUD, HMC C-132). Refer to algorithm for symptom monitoring and continuously assess as grade of severity may progress.
- 2. diphenhydrAMINE (BENADRYL) injection, 25-50 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 3. EPINEPHrine HCI (ADRENALIN) injection, 0.3 mg, intramuscular, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 4. hydrocortisone sodium succinate (SOLU-CORTEF) injection, 100 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 5. famotidine (PEPCID) injection, 20 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction

By signing below, I represent the following:

I am responsible for the care of the patient (*who is identified at the top of this form*); I hold an active, unrestricted license to practice medicine in: *Oregon* (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

My physician license Number is #

Г

(MUST BE COMPLETED TO BE A VALID

PRESCRIPTION; and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

Provider signature:	Da	ate/Time:	
Printed Name:	Phone:		Fax:

Please check the appropriate box for the patient's preferred clinic location:

 Hillsboro Medical Center Infusion Services
364 SE 8th Ave, Medical Plaza Suite 108B Hillsboro, OR 97123
Phone number: (503) 681-4124
Fax number: (503) 681-4120

 Mid-Columbia Medical Center Celilo Cancer Center 1800 E 19th St The Dalles, OR 97058
Phone number: (541) 296-7585
Fax number: (541) 296-7610 Adventist Health Portland Infusion Services
10123 SE Market St Portland, OR 97216
Phone number: (503) 261-6631
Fax number: (503) 261-6756